

TRIDOM
Za popolno udobje vašega doma

SEKCIJSKA GARAŽNA VRATA SECTIONAL GARAGE DOOR

Dobrodošli v svetu udobja, ki vam ga zagotavlja Tridom. Tridom proizvaja in vgraje široko paletto kakovostnih in zanesljivih garažnih vrat. Tridom garažna vrata so enostavna za uporabo, lepa, varna in vzdržljiva. S Tridom garažnimi vrati bo vaše življenje udobnejše, vaš dom pa lepši.


Welcome to the world of comfort – a world of Tridom. Tridom provides you with a full range of quality and reliable garage doors. With their easy-to-use approach, beauty, safety measures and endurance Tridom's doors improve your quality of life and the overall appearance of your home.



DOMCLASSIC

DomCLASSIC so Tridom garažna vrata s kasetnim motivom, primerna za tradicionalna in domačnostna okolja. Tridom DomCLASSIC garažna vrata dobavljamo v različnih barvah po vaši želji in v vašim potrebam prilagojenih dimenzijsah. Vsa naša vrata so polnjena s 40 mm poliuretanske izolacije in odlično toplotno izolativna ($K=0,78 \text{ W/mK}$), trdna in stabilna tudi pri večjih širinah, varna in enostavna za uporabo.

Residential sectional garage doors with rectangular boxes. Classic design suitable for cozy and refined architectural settings. Composed of smooth or embossed steel panels insulated with high density 40mm foam, profiled with embossed white slides on galvanized steel, double scissor carriages, aluminum painted hinges, galvanized torsion spring, with standard spring brake device.



Gladka ali površina z vtisnjeno strukturo
Panel Smooth or embossed

Standardne barve/Standard colours:
Bela/White RAL 9016,
Rjava/Brown RAL 8019,
Lesni dekor/Walnut wood effect



Stranski osebni prehod/Side pedestrian door





DOMLINE




DomLINE garažna vrata so narejena iz ozkih ali širokih panel, ki so s svojim neutralnim dizajnom in različnimi dodatki primerna za najširšo uporabo. Tridom DomLINE garažna vrata dobavljamo v različnih barvah po vaši želji in vašim potrebam prilagojenih dimenzijah. Vsa vrata so polnjena s 40 mm poliuretanske izolacije in odlično toplotno izolativna ($K=0,78 \text{ W/mK}$), trdna in stabilna tudi pri večjih širinah, varna in enostavna za uporabo.

*Residential sectional garage doors with narrow or wide panels.
DomLINE doors's neutral design and multiple customatization options enable these garage doors to be widely used in both classic and modern surroundings. Composed of smooth steel panels insulated with high density 40mm foam, profiled with embossed white slides on galvanized steel, double scissor carriages, aluminum painted hinges, galvanized torsion spring, with standard spring brake device.*




Standardne barve/Standard colours:
Bela/White RAL 9016,
Rjava/Brown RAL 8019,
Srebrna/Silver RAL 9006



Površina z vtisnjeno strukturo
Panel embossed

DomELEGANT so garažna vrata narejena iz širokih in gladkih panel, ki so s svojim modernim dizajnom in različnimi dodatki, predvsem pa različnimi okni, primerena za moderne domove. Tridom DomELEGANT garažna vrata dobavljamo v različnih barvah po vaši želji in vašim potrebam prilagojenih dimenzijsah. Vsa Tridom vrata so polnjena s 40 mm poliuretanske izolacije in odlično toplotno izolativna ($K=0,78 \text{ W/mK}$), trdna in stabilna tudi pri večjih širinah, varna in enostavna za uporabo.

*Residential sectional garage doors with smooth surface.
DomELEGANT doors's modern, smooth design and multiple
customatization options, especially various windows, make these
garage doors perfect for modern houses. Composed of smooth
steel panels insulated with high density 40mm foam, profiled with
embossed white slides on galvanized steel, double scissor carriages,
aluminum painted hinges, galvanized torsion spring, with standard
spring brake device.*




Jedkano steklo z okvirjem iz nerjavečega jekla
Version with etched glass, inox
stainless steel frame - smooth or satin



DOM
ELEGANT



Standardne barve/Standard colours:
Bela/White RAL 9002,
Lesni dekor-tikovina/
Teak wood effect






DOMSTYLE

DomSTYLE so najelegantnejša izmed vseh Tridom garažnih vrat. Narejena so iz širokih in gladkih panel, z ravnimi linijami, preprostimi oblikami v različnih barvah ali imitacijah leseni oblog. Tridom DomSTYLE garažna vrata dobavljamo v različnih barvah po vaši želji in vašim potrebam prilagojenih dimenzijah. Vsa vrata so polnjena s 40 mm poliuretanske izolacije in odlično topotno izolativna ($K=0,78 \text{ W/mK}$), trdna in stabilna tudi pri večjih širinah, varna in enostavna za uporabo.

Residential sectional garage door with smooth surface and wide horizontal panels. With their simple lines and various colours or wood effects, elegant and balanced DomStyle garage doors are suitable for all kind of buildings. Composed of smooth steel panels insulated with high density 40mm foam, profiled with embossed white slides on galvanized steel, double scissor carriages, aluminum painted hinges, galvanized torsion spring, with standard spring brake device.



Standardne barve/Standard colours:
Bela/White RAL 9002,
Lesni dekor-tikovina ali mahagonij/
Teak and Mahogany wood effect



STRANSKA GARAJNA VRATA SIDE-SECTIONAL GARAGE DOOR



Stranska sekcija garažna vrata so najnovejši trend med garažnimi vrati, saj imajo zaradi svoje zasnove marsikatero prednost pred klasičnimi stropnimi vrati. Zaradi odpiranja vstran so posebej primerna za vse, ki garažna vrata pogostokrat uporabljate za osebni prehod brez avtomobila – za družine ali če garažna vrata uporabljate za vstop v vaš dom. Hitro in taho obratovanje v kombinaciji s prihrankom toplote vas bo hitro navdušilo...

The side-sectional garage doors are the new and growing trend in the production of garage door. The system offers a lot of advantages compared to traditional garage doors, especially easy to use pedestrian access without fully opening the doors. Fast and silent operations combined with heat savings makes side-sectional doors a perfect fit for families, active people and all using garage doors as primary entry into their home.

Standardne barve/Standard colours:
Bela/White RAL 9002, 9016,
Srebrna/Silver RAL 9006,
Rjava/Brown RAL 8019,
Lesni dekor/Walnut wood effect



INDUSTRIJSKA VRATA INDUSTRIAL DOOR

Karakteristike industrijskih vrat se močno razlikujejo od tistih, vgrajenih v domove. Velikost, hitrost in različne druge funkcionalnosti industrijskih vrat se razlikujejo glede na njihov namen, Tridom pa ima rešitev za vse vaše potrebe. Zunanja ali notranja, stropna lamelna ali PVC hitrotekoča, PVC nihajna ali zavesna, dvoriščna...

V Tridomu najdete pravega partnerja za rešitev vseh vaših vprašanj povezanih z industrijskimi vrti. Vsa vrata so vzdržljiva, robustna in varna. Zagotavljajo najboljši izkoristek prostora, delujejo zanesljivo in v vseh vremenskih pogojih. Tridom industrijska vrata so enostavna za uporabo, z dobro toplotno in zvočno izolacijo pa vam pomagajo bolje nadzirati vaše delovno okolje.

Industry and commercial needs differ greatly from those of a homeowner. The size, speed and functionalities required from industrial doors vary across different industries, but Tridom has all the answers. Exterior or indoor, overhead, roll-up, folding, swing or strip doors, Tridom has the right solutions to meet your needs. All Tridom's industrial grade doors are reliable and untiring, sturdy and safe, ensuring the best use of transit openings. They work with ease in the most diverse conditions, are weather resistant and easy to operate. And, with heat insulation and soundproofing, they provide more environmental control.





Površina z vtisnjeno strukturo
Panel embossed



Vrata v vratih/Pedestrian door

Standardne barve/Standard colours:
Bela/White RAL 9002, 9016,
Srebrna/Silver RAL 9006



Samozaporni elektromotorni pogon z možnostjo
odklopa v primeru izpada elektrike
Self-locking electromechanical operators with
fast unlock device



Dvojni vroče cinkani stranski tečaji
Double galvanized side hinges





VRATA IN OGRAJE GATES AND FENCES



V Tridomu imamo že dolgo tradicijo izdelave lepih in kakovostnih dvoriščnih vrat in ograj. Izdelujemo drsna samonosilna dvoriščna vrata, vrata na šino in teleskopska vrata. Tako za vrata kot za ograje uporabljamo kovino, kovano železo, PVC, les oziroma njihovo poljubno kombinacijo.

Tridom is also well known for its experience and tradition in manufacturing gates and fences from various materials, including wrought iron, steel, PVC, wood or any combination among them.





POGONI IN DODATKI AUTOMATIZATION AND ACCESSORIES



Vaše Tridom izdelke lahko še dodatno prilagodite vašim željam in potrebam z množico različnih dodatkov.

A wide range of accessories is available to make the Tridom products even more personalized.



Daljinski upravljalniki
Transmitters and electronic devices



Modela Jim in Ken
Models Jim and Ken



Zunanji alumijast ročaj
External aluminum handle

Ročni odklop električnega pogona vrat
Manual detachment of door automation



Vrata za osebni prehod z nizkim pragom – le 3 cm
Low profile of pedestrian access – 3 cm only



Gravirano steklo z inox okvirjem
Etched glass with inox frame



Vrata za osebni prehod / Inserted pedestrian door



TEHNIČNE ZNAČILNOSTI TECHNICAL DETAILS



Termični izolativni koeficinet:
K 0,78 W/m²K
Coefficient of thermal insulation:
K 0,78 W/m²K




Beli ALU tečaji / White hinges



Varnostno oblikovane lamele, ki
preprečujejo vkleščanje prstov
Finger protection panel design



Okovje vrat vključno s torzijskimi vzmetmi je vrčče pocinkano
Galvanized door carriages and torsion springs



Dvojna naylon tekalna kolesa z ležaji,
kar zagotavlja tiho delovanje brez obrabe



Double nylon tread wheels with bearings
ensure quiet and wear-free operation

NAČINI VGRADNJE LIFTING TYPES

Okviri in vodila vrat omogočajo različne načine dviganja vrat: standarden dvig, povišan dvig, navpičen dvig in dvig pod naklonom.

Various types of doors lifting are available: standard lift, high lift, full vertical lift and pitched lift.

**NIZKA PREKLADA
LOW HEADROOM**

LHF	OH	A	L	F	Z*
220	H+110	=H-300	=H	80	

OH Headroom dimension excluding operator track
A Vertical angle
L Vertical track length
F Clear opening space
* If you use mounting angle 24602 : Z=80/84

**VZMETI ZADAJ
REAR SPRINGS**

LHR	OH	A	L	F
160	H+110	=H-300	=H	
LHR *	70	H+50	=H-360	=H-60

OH Headroom dimension excluding operator track
A Vertical angle
L Vertical track length /
F Clear opening space
* Only possible with electrical operator /

**STANDARDNI DVIG
STANDARD LIFT**

STANDARD LIFT	A	B	C	D
	H + 235 mm	737 mm	A-B (mm)	H + 650 mm
	- 11000	- 11001	- 11014	- 11002
	- 11003	- 11004	- 11005	- 11006
	- 11007	- 11008	- 11009	- 11010
	- 11011	- 11012	- 11013	- 11014
	- 11015	- 11016	- 11017	- 11018
	- 11019			

A H + 235 mm
B 737 mm
C A-B (mm)
D H + 650 mm
F1 38 mm
F2 F1 + (H / 83) mm
OH 420 mm

**POVIŠAN DVIG
HIGH LIFT**

HIGH LIFT	A	B	C	D
	H + HL	737 mm	A-B (mm)	(H + HL)+ 650 mm
	- 11005	- 11006	- 11007	- 11008
	- 11009	- 11010	- 11011	- 11012
	- 11013	- 11014	- 11015	- 11016
	- 11017	- 11018	- 11019	- 11020

A H + HL
B 737 mm
C A-B (mm)
D (H + HL)+ 650 mm
F1 38 mm
F2 F1 + (H / 83) mm
OH HL + 250 mm

**STANDARDNI DVIG Z VODILIM
POD NAKLONOM
STANDARD LIFT PITCHED <45°**

STANDARD LIFT Pitched <45°	A	B	C	D	E
	H + 235 mm	737 mm	A-B (mm)	(H + 650 mm) cos a	
	- 11000	- 11001	- 11014	- 11002	- 11015
	- 11003	- 11004	- 11005	- 11006	- 11016
	- 11007	- 11008	- 11009	- 11010	- 11017
	- 11011	- 11012	- 11013	- 11014	- 11018
	- 11015	- 11016	- 11017	- 11018	- 11019

A H + 235 mm
B 737 mm
C A-B (mm)
D (H + 650 mm) cos a
E D / cos a
F1 38 mm
F2 F1 + (H / 83) mm
OH 500 mm

Use above 45° a full vertical drum

**NAVPIČNI DVIG
FULL VERTICAL LIFT**

Full Vertical	A	D	F1	F2	F3	L1	L2	OH
	(2 x H) + 250 mm	(2 x 59) mm	38 mm	F1 + (L1 / 83) mm	F2 + (L2 / 33) mm	L1 = H - 500 mm	L2 = H + 500 mm	CH = H + 500 mm

A (2 x H) + 250 mm
D (2 x 59) mm
F1 38 mm
F2 F1 + (L1 / 83) mm
F3 F2 + (L2 / 33) mm
L1 = H - 500 mm
L2 = H + 500 mm
CH = H + 500 mm

TRIDOM

Za popolno udobje vašega doma

TRIDOM D.O.O.

Zabrv 61,
Ig pri Ljubljani

T 01 28 64 800
F 01 28 64 801
E info@tridom.si
W www.tridom.si

Salon Sodražica:

KEMONT S.P.
Majde Šilc 1, Sodražica
T 01 83 60 343
M 041 621 637
E info@kemont-sp.si
W www.kemont-sp.si

Salon Črnomelj:

PRODOOR S.P.
Viniška cesta 1, Črnomelj
T 07 305 24 52
M 031 491 278
E info@prodoor.si
W www.prodoor.si



REPORT

Issued by notified body No. 0402

0402-CPD-42 67 69
0402-CPD-42 67 70



CERTIFICATE
EN 13241-1; 89/106/EC; 98/37/EC; 89/336/EC

